

# DECLARATION OF PERFORMANCE

## DOP N°003-2018-02

1. Unique identification code of the product-type: **82-103**

Commercial name : **BOOST<sup>®</sup> HYBRID**

2. Intended use/es:

**Underlay for discontinuous roofing.**  
**Underlay for walls.**

3. Manufacturer :

**ACTIS S.A.**  
Avenue de Catalogne  
F-11300 LIMOUX  
[www.actis-isolation.com](http://www.actis-isolation.com)

4. Authorised representative: **Not applicable**

5. System/s of AVCP: **System 3**

6. Harmonised standard:

**EN 13859-1 : 2014**  
**EN 13859-2 : 2014**

Notified body/ies:

**VTT Technical Research Centre of Finland**, notified body no. 0809  
**FIW**, notified body no. 0751

7. Declared performance/s:

**ACTIS**

INNOVER POUR MIEUX ISOLER

Avenue de Catalogne  
11300 Limoux

TÉL. : (+33) 04 68 31 31 31 - FAX : (+33) 04 68 31 94 97  
infos@actis-isolation.com

[www.actis-isolation.com](http://www.actis-isolation.com)

# DECLARATION OF PERFORMANCE

## DOP N°003-2018-02

Essential characteristics		Performances	Harmonised technical specifications
Fire resistance		F class	EN 13859-1 : 2014 EN 13859-2 : 2014
Water tightness (before and after artificial ageing)		W1	
Tensile strength properties (before ageing)	Maximum tensile strength - longitudinal direction - transversal direction	> 300 N/50mm > 200 N/50mm	
	Elongation - longitudinal direction - transversal direction	> 20 % > 10 %	
Tensile strength properties (after ageing)	Maximum tensile strength - longitudinal direction - transversal direction	545 N/50 mm 250 N/50 mm	
	Elongation - longitudinal direction - transversal direction	> 20 % > 10 %	

Essential characteristics		Performances	Harmonised technical specifications
Nail tear resistance - longitudinal direction - transversal direction		> 150 N > 150 N	EN 13859-1 : 2014 EN 13859-2 : 2014
Flexibility at low temperature (pliability)		- 30°C	
Dangerous substances (emissions in indoor air)		A+	
Water vapour transmission		Sd ≤ 0,11 m	EN 13859-2 : 2014

8. Appropriate Technical Documentation and/or Specific Technical Documentation : **Not applicable**

# DECLARATION OF PERFORMANCE

## DOP N°003-2018-02

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Laurent THIERRY  
Chairman / Managing Director

At Limoux, on 04/09/2015



**ACTIS**

INNOVER POUR MIEUX ISOLER

Avenue de Catalogne  
11300 Limoux

TÉL. : (+33) 04 68 31 31 31 - FAX : (+33) 04 68 31 94 97  
infos@actis-isolation.com

[www.actis-isolation.com](http://www.actis-isolation.com)