



CERTIFICATE OF REGISTRATION

This is to certify that the Construction product known as HCONTROL HYBRID (Vapour control membrane with built in thermal performance) manufactured by:

ACTIS SA Avenue de Catalogne 11300 Limoux France

and distributed in the UK by:

ACTIS INSULATION LTD. Unit 1, Cornbrash Park **Bumpers Way Bumpers Farm Industrial Estate** Chippenham Wiltshire **SN14 6RA**

has been assessed in accordance with the Exova BM TRADA Certification Limited Q-Mark Scheme for Construction Products. The product meets the requirements of the above mentioned Scheme and EN 13984 and is intended for use in roofs, walls and ceilings. It has a water vapour transmission resistance of Z≥1000 MNs/g, a water tightness rating of Class W1 and is totally airtight. HControl Hybrid also provides complementary thermal insulation performance, although it is outside of the scope of BS EN 13984. The insulation properties have been tested according to EN 16012 with a core Rvalue declared at 1.90m2K/W, an external emissivity declared at 0.06 and an R-value with 2 adjacent air gaps of 20 mm declared at 3.20m2K/W. HCONTROL HYBRID is registered within the Exova BM TRADA Certification Limited Q-Mark

Scheme for Construction Products

Tom Johnston General Manager Central Certification Services

Certificate number:

CPS-013

Date of Initial Certification:

4 March 2013

Date of Last Issue:

4 March 2016

Date of Expiry:

3 March 2019

Exova (UK) Ltd, (T/A Exova BM TRADA), Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK Registered Office: Exova (UK) Ltd, Lochend Industrial Estate, Newbridge, Midlothian EH28 8PL United Kingdom. Reg No. SCO70429.