



012

CERTIFICATE OF REGISTRATION

This is to certify that the Building Insulation Product known as 'HYBRIS',
manufactured
by:

ACTIS SA
Avenue de Catalogne
11300 Limoux
France

and distributed in the UK by:

ACTIS INSULATION Ltd
Unit 1 Cornbrash Park,
Bumpers Way
Bumpers Farm Industrial Estate
Chippenham
Wiltshire
SN14 6RA

has been assessed in accordance with the BM TRADA Building Insulation Products Q-Mark Scheme and against the requirements of CUAP 12.01/12, including thermal resistance testing in accordance with EN 12667, for use in pitched roofs, lofts, timber frame or masonry walls and has a core declared thermal resistance R value up to 9.05 m²K/W for 300 mm as well as a declared emissivity of 0.06 for its outer side and 0.10 for its inner side which can be incorporated into U Value calculations carried out in accordance with EN 6946. The exact thickness range and corresponding R values are shown in the accompanying schedule.

HYBRIS is registered within the BM TRADA Q-Mark Scheme for Building Insulation Products.

Karen Prendergast
Divisional Director - Certification
BM TRADA

Certificate Number

BIPS-0106

Date of Initial Certification

4 March 2013

Date of Last Issue

8 March 2019

Date of Expiry

3 March 2022

Warringtonfire Testing and Certification Limited t/a BM TRADA, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 10 Lower Grosvenor Place, London, SW1W 0EN, UK.
Reg No. 11371436.

This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.bctrada.com