

Boost[®] Hybrid Roof

BOOST[®] HYBRID ROOF is a roof underlay with a built-in thermal performance for use on the cold side of the building fabric in roofs and walls.

BOOST[®] HYBRID ROOF has been tested according to the wind uplift test method in Annex A of BS 5534 (2014+A2:2018). The tests were carried out at BRE, Bucknalls Lane, Watford, WD25 9XX, UK.

For more details, please refer to BRE test report no P-111092-1000 Issue 2 available on www.insulation-actis.com


BOOST[®] HYBRID ROOF is suitable for all wind zones (1-5) throughout the UK

Wind uplift resistance of Actis Boost[®] Hybrid Roof underlay to BS5534 Annex A

Underlay specification	Geographical wind zone and declared wind uplift resistance Pd(N/m ²)	
	≤ 345mm batten centres	250mm batten centres
Boost [®] Hybrid Roof with taped lap*	Zones 1 to 5 2195	Zones 1 to 5 > 2195
Boost [®] Hybrid Roof with taped lap* and 25mm counter batten	Zones 1 to 5 2361	Zones 1 to 5 > 2361

*Boost[®] Hybrid Roof has a built in self-adhesive flap, which facilitates sealing of joints between adjacent sheets

Note: For general use anywhere in the UK (i.e. anywhere in Zones 1 to 5, see Figure A.4 in BS5534) on a roof with batten centres of up to 345mm and a well-sealed ceiling, an underlay must achieve a wind uplift resistance of 1600Pa. If the roof has no ceiling or it is not well-sealed then the required uplift resistance increases to 1900Pa and if there is a permanent dominant opening and no ceiling or a not well-sealed ceiling then the required uplift resistance increases to 2350Pa. These values of uplift resistance are for a roof with a ridge height ≤15m, maximum batten centres of 345mm, a roof pitch between 12.5° and 75°, a site altitude ≤100m and where topography is not significant. For roofs that do not meet these limitations it is advisable to seek professional advice.



HIC®, reproduced with permission from BRE DG 489, 2014 edition.

U-VALUE SIMULATOR

Discover a unique tool to get a quick simulation of your project by scanning the following QR code.



VISIT OUR WEBSITE

Please visit www.insulation-actis.com for more details.

ACTIS INSULATION LTD.

Unit 1 Cornbrash Park - Bumpers Way
Bumpers Farm Industrial Estate - Chippenham
Wiltshire - SN14 6RA
Tel. +44 (0) 1249 462 888
Fax. +44 (0) 1249 446 345
Email : solutions@insulation-actis.com