



## CERTIFICATE OF REGISTRATION

This is to certify that the Construction product known as BOOSTR HYBRID / BOOSTR HYBRID Roof (breather membrane with built in thermal performance), manufactured by

**ACTIS SA**  
Val d' Aude  
30 Avenue de Catalogne  
11300 Limoux  
France

and distributed in the UK by:

**ACTIS INSULATION Ltd**  
Unit 2a Cornbrash Park,  
Bumpers Way  
Bumpers Farm Industrial Estate  
Chippenham  
Wiltshire  
SN14 6RA

Has been assessed in accordance with the BM TRADA Q-Mark Scheme for Construction Products. The product meets the requirements of the above mentioned Scheme, EN 13859-1 and EN 13859-2 and is intended for use in Roofs and Walls and Floors. It has a water vapour transmission resistance of  $Z=0.55$  MNs/g, a water tightness rating of Class W1. BOOSTR HYBRID and BOOSTR HYBRID Roof also provides complementary thermal insulation performance, although it is outside of the scope of BS EN 13859-1-2. Their insulation properties have been additionally tested according to EN 16012 with a core R-value declared at  $1.35\text{m}^2\text{K}/\text{W}$ , an emissivity declared at 0.05 for its inner side and 0.31 or 0.9 for its outer side and an R-value with 2 adjacent air gaps of 20 mm declared at  $2.40\text{m}^2\text{K}/\text{W}$ . BOOST'R HYBRID and BOOSTR HYBRID Roof is registered within the BM TRADA Q-Mark Scheme for Construction Products.

**Karen Prendergast**  
Divisional Director - Certification  
BM TRADA

**Certificate number:**

CPS-014

**Date of Initial Certification:**

4 March 2013

**Date of Last Issue:**

22 January 2020

**Date of Expiry:**

3 March 2022

Warringtonfire Testing and Certification Limited t/a BM TRADA, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK  
Registered Office: Warringtonfire Testing and Certification Limited, 10 Lower Grosvenor Place, London, SW1W 0EN, UK.  
Reg No. 11371436.

This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at [www.bmtrada.com](http://www.bmtrada.com)