



CERTIFICATE OF REGISTRATION

This is to certify that the Building Insulation Product known as 'HCONTROL HYBRID', (Vapour Control Membrane with built in Thermal Performance), manufactured by:

ACTIS SA

30 Avenue de Catalogne 11300 Limoux France

and distributed in the UK by:

ACTIS INSULATION Ltd

Unit 2a Cornbrash Park, **Bumpers Way** Bumpers Farm Industrial Estate Chippenham Wiltshire **SN14 6RA**

Has been assessed in accordance with the BM TRADA Q-Mark Scheme for Construction Products. The product meets the requirements of the Q-Mark Scheme and EN 13984 and is intended for use in Roofs, Walls, Ceilings and Floors. It has a water vapour transmission resistance of Z≥1000 MNs/g, a water tightness rating of Class W1 and is totally airtight. HControl Hybrid also provides complementary thermal insulation performance although it is outside the scope of BS EN 13984. The insulation properties have been tested according to EN 16012 with a core R-value declared at 1.90m2K/W, an an external emissivity declared at 0.06 and an R-value with 2 adjacent air gaps of 20mm declared at 3.20 m2K/W. HControl Hybrid is registered within the BM TRADA Q-Mark Scheme for Construction Products.

Steve Roberts Product Certification Operations Manager For and on behalf of BM TRADA

Certificate number:

CPS-013

Date of Initial Certification:

4 March 2013

Date of Last Issue:

1 February 2022

Date of Expiry:

3 March 2025

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire,

Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK