



## UKAS PRODUCT CERTIFICATION

012

## **CERTIFICATE OF REGISTRATION**

This is to certify that the Building Insulation Product known as 'HYBRIS', manufactured by:

## ACTIS SA

Avenue de Catalogne 11300 Limoux France

and distributed in the UK by:

## **ACTIS INSULATION Ltd**

Unit 2a Cornbrash Park, Bumpers Way Bumpers Farm Industrial Estate Chippenham Wiltshire SN14 6RA

has been assessed in accordance with the BM TRADA Building Insulation Products Q-Mark Scheme and against the requirements of EAD 040007-00-1201, including thermal resistance testing in accordance with EN 12667, for use in pitched roofs, lofts, timber frame or masonry walls and floors and has a core declared thermal resistance R value up to 9.05 m<sup>2</sup>K/W for 300 mm as well as a declared emissivity of 0.06 for its inner side and 0.10 for its outer side which can be incorporated into U Value calculations carried out in accordance with EN 6946. The exact thickness range and corresponding R values are shown in the accompanying schedule. HYBRIS is registered within the BM TRADA Q-Mark Scheme for Building Insulation Products.

The validity of this certificate is dependent on the adherence to the conditions laid down in the accompanying Q-Mark Schedule. The Q-Mark Schedule is an integral part of this certificate.

As a Scheme member the Company agrees to maintain the fabrication and design of its HYBRIS product in accordance with the BM TRADA scheme requirements and to use the Q-Mark Logo in accordance with the Scheme Requirements.

Steve Roberts Product Certification Operations Manager For and on behalf of BM TRADA

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK

Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK Reg No. 11371436.

This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at <u>www.bmtrada.com</u>

**Certificate Number** 

BIPS-0106

Date of Initial Certification 4 March 2013

Date of Last Issue 1 February 2022

Date of Expiry 3 March 2025