

DECLARATION OF PERFORMANCE

DOP N°04-2018-01

1. Unique identification code of the product-type: **82-108**

Commercial name : **BOOST[®] HYBRID ROOF**

2. Intended use/es:

Underlay for discontinuous roofing.

3. Manufacturer :

ACTIS S.A.
Avenue de Catalogne
F-11300 LIMOUX
www.actis-isolation.com

4. Authorised representative: **Not applicable**

5. System/s of AVCP: **System 3**

6. Harmonised standard:

EN 13859-1 : 2010
EN 13859-2 : 2010

Notified body/ies:

VTT Technical Research Centre of Finland, notified body no. 0809
FIW, notified body no. 0751

7. Declared performance/s:

DECLARATION OF PERFORMANCE

DOP N°04-2018-01

Essential characteristics		Performances	Harmonised technical specifications
Fire resistance		NPD	EN 13859-1 : 2010 EN 13859-2 : 2010
Water tightness (before and after artificial ageing)		W1	
Tensile strength properties (before ageing)	Maximum tensile strength - longitudinal direction - transversal direction	> 300 N/50mm > 150 N/50mm	
	Elongation - longitudinal direction - transversal direction	> 20 % > 10 %	
Tensile strength properties (after ageing)	Maximum tensile strength - longitudinal direction - transversal direction	>150 N/50 mm >100 N/50 mm	
	Elongation - longitudinal direction - transversal direction	> 20 % > 10 %	

Essential characteristics		Performances	Harmonised technical specifications
Nail tear resistance - longitudinal direction - transversal direction		> 150 N > 150 N	EN 13859-1 : 2010 EN 13859-2 : 2010
Flexibility at low temperature (pliability)		- 30°C	
Dangerous substances (emissions in indoor air)		A+	
Water vapour transmission		Sd ≤ 0,11 m	EN 13859-2 : 2010

8. Appropriate Technical Documentation and/or Specific Technical Documentation : **Not applicable**

DECLARATION OF PERFORMANCE

DOP N°04-2018-01

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Laurent THIERRY
Chairman / Managing Director

At Limoux, on 14/02/2018

